



FORM PTO-1449 TO BE FILED WITH
INFORMATION DISCLOSURE STATEMENT

U.S. Department of Commerce
Patent and Trademark Office

Atty. Docket No. OSU1159-140 Serial No. 09/975,475

INFORMATION
DISCLOSURE STATEMENT
BY APPLICANTS

Madou et al.

Applicant

October 11, 2001

Filing Date

1742
Group Art Unit

W. Leader
Examiner's name

U.S. PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Name	Class/Sub- class
<u>WL</u>	5,480,534	01/02/1996	Kato et al.	204/419

FOREIGN PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Country/Name	Translation? yes/no
<u>WL</u>	WO 99/50277	10/07/1999	PCT	No

OTHER DOCUMENTS

- WL 1. Einerhand, R. et al., "pH Measurement in Strong Koh Solutions with a Bismuth Electrode", *Electrochim. Acta*, **34**, 345 (1989).
- WL 2. Grubb, W. et al., "Palladium-Palladium Oxide pH Electrodes", *Anal. Chem.*, **52**, 270 (1980).
- WL 3. Liu, C. et al., "A Palladium-Palladium Oxide Miniature pH Electrode", *Science*, **207**, 188 (1980).
- WL 4. Fog, A. et al., "Electronic Semiconducting Oxides as pH Sensors", *Sensors & Actuators*, **5**, 137 (1984).
- WL 5. Pasztor, K. et al., "Electrochemically-Deposited RuO₂ Films as pH Sensors", *Sensors & Actuators*, **B13-14**, 561 (1993).

6. McMurray, H. et al., "Novel Thick-Film pH Sensors Based on Ruthenium Dioxide-Glass Composites", *Sensors & Actuators*, **B28**, 9 (1995).
7. Burke, L. et al., "Preparation of an Oxidized Iridium Electrode and the Variation of its Potential with pH", *J. Electroanal. Chem.*, **163**, 117 (1984).
8. Kinoshita, E. et al., "Polycrystalline and Monocrystalline Antimony, Iridium and Palladium as Electrode Material for pH-Sensing Electrodes", *Talanta*, **33**, 125 (1986).
9. Hitchman, M. et al., "Evaluation of Iridium Oxide Electrodes Formed by Potential Cycling as pH Probes", *Analyst*, **113**, 35 (1988).
10. Olthuis, W. et al., "pH Sensor Properties of Electrochemically Grown Iridium Oxide", *Sensors & Actuators*, **B2**, 247 (1990).
11. Song, I. et al., "Metal Oxide/Metal pH Sensor: Effect of Anions on pH Measurements", *Corrosion*, **54**, 13 (1998).
12. Jaworski, R. et al., "Characterization of Oxide Films Electrochemically Deposited from Solutions of Palladium Chloride and Sodium Hexachloroiridate", *J. Electroanal. Chem.*, **325**, 111 (1992).
13. Baur, J. et al., "Electrochemical Deposition of Iridium(IV) Oxide from Alkaline Solutions of Iridium(III) Oxide", *J. Electroanal. Chem.*, **443**, 208 (1998).
14. Katsube, T. et al., "pH-Sensitive Sputtered Iridium Oxide Films", *Sensors & Actuators*, **2**, 399 (1982).
15. Lauks, I. et al., "Electrically Free-Standing IrOx Thin Film Electrodes for High Temperature, Corrosive Environment pH Sensing", *Sensors & Actuators*, **4**, 375 (1983).
16. Tarlov, M. et al., "Mechanistic and Response Studies of Iridium Oxide pH Sensors", *Sensors & Actuators*, **B1**, 293 (1990).
17. Kato, A. et al., "Metox pH Sensor as pH Measuring Electrode", *Anal. Sci.*, **7** supplement, 1577 (1991).
18. Kreider, K. et al., "Sputtered Thin-Film pH Electrodes of Platinum, Palladium, Ruthenium, and Iridium Oxides", *Sensors & Actuators*, **B28**, 167 (1995).
19. Dobson, J. et al., "EMF Measurements of Cells Employing Metal-Metal Oxide Electrodes in Aqueous Chloride and Sulphate Electrolytes at Temperatures Between 25-250 C", *Electrochim. Acta*, **21**, 527 (1976).
20. Papeschi, G. et al., "An Iridium-Iridium Oxide Electrode for in vivo Monitoring of Blood pH Changes", *J. Med. Eng. & Tech.*, **5**, 86 (1981).
21. Ardizzone, A. et al., "Properties of Thermally Prepared Iridium Dioxide Electrodes", *J. Electroanal. Chem.*, **126**, 287 (1981).
22. Kinoshita, K. et al., "Electrochemical Measurements on Pt, Ir, and Ti Oxides as pH Probes", *J. Electrochem. Soc.*, **131**, 1089 (1984).

23. Hitchman, M. et al., "A Field-Induced Poising Technique for Promoting Convergence of Standard Electrode Potential Values of Thermally Oxidized Iridium pH Sensors", *Talanta*, **39**, 137 (1992).
24. Hitchman, M. et al., "Thermally Grown Iridium Oxide Electrodes for pH Sensing in Aqueous Environments at 0 and 95 Degrees C", *Anal. Chim. Acta*, **263**, 53 (1992).
25. Hitchman, H. et al., "Potentiometric Determination of Proton Activities in Solutions Containing Hydrofluoric Acid Using Thermally Oxidized Iridium Electrodes", *Analyst*, **116**, 1131 (1991).
26. Kinlen, P. et al., "A Solid-State pH Sensor Based on a Nafion-Coated Iridium Oxide Indicator Electrode and a Polymer-Based Silver Chloride Reference Electrode", *Sensors & Actuators*, **B22**, 13 (1994).
27. Izutsu, K. et al., "Response of an Iridium Oxide pH-Sensor in Nonaqueous Solutions. Comparison with Other pH-Sensors", *Anal. Sci.*, **12**, 905 (1996).
28. Gottesfeld, S. et al., "Electrochromism in Anodic Iridium Oxide Films", *J. Electrochem. Soc.*, **126**, 742 (1979).
29. Buckley, D. et al., "The Oxygen Electrode", *J. Chem. Soc. Faraday Trans.*, **1**, **72**, 1896 (1976).
30. Burke, L. et al., "A Voltammetric Investigation of the Charge Storage Reactions of Hydrous Iridium Oxide Layers", *J. Electroanal. Chem.*, **162**, 121 (1984).
31. Pickup, P. et al., "The Influence of the Aqueous Growth Medium on the Growth Rate, Composition, and Structure of Hydrous Iridium Oxide Films", *J. Electrochem. Soc.*, **135**, 126 (1988).
32. Conway, B. et al., "Surface and Bulk Processes at Oxidized Iridium Electrodes - II. Conductivity-Switched Behaviour of Thick Oxide Films", *Electrochim. Acta*, **28**, 9 (1983).
33. Gottesfeld, S. et al., "Electrochromism in Anodic Iridium Oxide Films", *J. Electrochem. Soc.*, **126**, 742 (1979).
34. Joo, C., et al., "Spectrophotometric Study of the Corrosion Behaviour of Chromium in Molten Alkali Carbonates", *J. Power Sources*, **72**, 211 (1998).
35. Every, R., "Preparation of Transition Metal Oxide-Metal Electrodes", *Electrochem. Soc.*, **112**, 524 (1965).
36. Janz, G. et al., "Corrosion of Platinum, Gold, Silver and Refractories in Molten Carbonates", *Corrosion*, **19**, 292 (1963).
37. Claes, P. et al., "Chemical and Electrochemical Behaviour of Copper Species in the Molten Eutectic Mixture $\text{Na}_2\text{CO}_3 + \text{K}_2\text{CO}_3$ at 800 Degrees C", *J. Electroanal. Chem.*, **389**, 37 (1995).


Duplicate of 28


- W- 38. Spiegel, M. et al., "Corrosion of Iron Base Alloys and High Alloy Steels in the Li₂CO₃-K₂CO₃ Eutectic Mixture, *Corr. Sci.*, **39**, 1193 (1997).
- W- 39. Malinowska, B. et al., "Behaviour of Nickel Species in Molten Li₂CO₃+Na₂CO₃+K₂CO₃ Part 1. Thermodynamic Approach and Electrochemical Characterization Under P(CO₂) = 1 atm", *J. Electroanal. Chem.*, **21**, 389 (1995).
- W- 40. Cassir, M. et al., "Thermodynamic and Electrochemical Behavior of Nickel in Molten Li₂CO₃-Na₂CO₃ Modified by Addition of Calcium Carbonate", *J. Electroanal. Chem.*, **452**, 127 (1998).
- W- 41. Nishina, T. et al., "Gas Electrode Reactions in Molten Carbonate Media", *J. Electrochem. Soc.*, **141**, 1191 (1994).
- W- 42. Ta, K. et al., "Proton Intercalation Hysteresis in Charging and Discharging Nickel Hydroxide Electrodes." *J. Electrochem. Soc.*, **146**, 8 (1999).
- W- 43. Ranganathan, S. et al., "Photoresist-Derived Carbon for Microelectromechanical Systems and Electrochemical Applications", *J. Electrochem. Soc.*, **147**, 1 (2000).
- W- 44. Yao, S. et al., "Potentiometric Carbon Dioxide Sensor Based on Iridium Oxide pH Electrode", *Electrochemical Society Proceedings* 99-23.

Examiner	William Leader	Date Considered	12/2003
----------	----------------	-----------------	---------

Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

The identification of any document herein is not intended to be, and should not be understood as being, an admission that each such document, in fact, constitutes "prior art" within the meaning of applicable law since, for example, a given document may have a later effective date than at first seems apparent or the document may have an effective date which can be antedated. The "prior art" status of any document is a matter to be resolved during prosecution.

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8 (A)	
Date of Deposit: November 9, 2001	
I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231.	
 Sheri L. Burke	



FORM PTO-1449 TO BE FILED WITH
INFORMATION DISCLOSURE STATEMENT

U.S. Department of Commerce
Patent and Trademark Office

Atty. Docket No. OSU1159-140 Serial No. 09/975,475

INFORMATION
DISCLOSURE STATEMENT
BY APPLICANTS

Madou et al.
Applicant

October 11, 2001
Filing Date

1743
Group Art Unit

W. Leader
Examiner's name

U.S. PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Name	Class/Sub- class
	None			

FOREIGN PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Country/Name	Translation? yes/no
	None			

OTHER DOCUMENTS


1. YAO, Sheng et al., A Novel Iridium Oxide PH Electrode, Electrochemical Society Proceedings, Volume 99-23, pp. 53-61.
2. YAO, Sheng et al., A pH Electrode Based on Melt-Oxidized Iridium Oxide, Journal of The Electrochemical Society, Vol. 148, Issue 4, pp. H29-H36 (April, 2001).

- Wh 3. AIZAWA, M. et al., Chemical Sensors IV, PV99-23, Honolulu, Hawaii (Fall, 1999).

Examiner <i>William Leader</i>	Date Considered <i>12/2003</i>
--------------------------------	--------------------------------

Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

The identification of any document herein is not intended to be, and should not be understood as being, an admission that each such document, in fact, constitutes "prior art" within the meaning of applicable law since, for example, a given document may have a later effective date than at first seems apparent or the document may have an effective date which can be antedated. The "prior art" status of any document is a matter to be resolved during prosecution.

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8 (A)	
Date of Deposit: July <u>24</u> , 2002	
I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231.	
 Sheri L. Burke	